

Unexo Labs

This is our complete product List

Brand	Aminophylline 100mg
Therapeutic Group	Anti-asthmatic
Generic	Aminophylline
Indications	Preventing and treating symptoms and blockage of airway due to asthma or other lung diseases such as emphysema or bronchitis.
Form	Tablet
Brand	Bisacodyl 5mg
Therapeutic Group	Laxative
Generic	Bisacodyl
Indications	Bisacodyl is used to treat constipation or to empty the bowels before surgery, colonoscopy, x-rays, or other intestinal medical procedure.
Form	Tablet
Brand	Bendamox 100mg
Therapeutic Group	Anthelmintic
Generic	Mebendazole
Indications	It prevents worms from growing or multiplying in the body. Mebendazole is used to treat infections caused by worms such as whipworm, pinworm, roundworm, and hookworm. It is also used to treat infections caused by more than one of these worms
Form	Tablet
Brand	Cetra 10mg
Therapeutic Group	Anti-histamine
Generic	Cetirizine dihydrochloride
Indications	It is used to treat cold or allergy symptoms such as sneezing, itching, watery eyes, or runny nose. Cetirizine is also used to treat itching and swelling caused by hives.
Form	Tablet
Brand	Clithro-250
Therapeutic Group	Anti-biotic
Generic	Clarithromycin
Indications	Clarithromycin is a macrolide antibiotic. It fights bacteria in your body. Clarithromycin is used to treat many different types of bacterial infections affecting the skin and respiratory system. It is also used together with other medicines to treat stomach ulcers caused by Helicobacter pylori.
Form	Tablet
Brand	Clithro-500
Therapeutic Group	Antibiotic
Generic	Clarithromycin
Indications	Clarithromycin is a macrolide antibiotic. It fights bacteria in your body. Clarithromycin is used to treat many different types of bacterial infections affecting the skin and respiratory system. It is also used together with other medicines to treat

	stomach ulcers caused by Helicobacter pylori.
Form	Tablet
Brand	Chloroquine Phos. 80mg
Therapeutic Group	Anti-malarial
Generic	Chloroquine Phosphate
Indications	Chloroquine is used to treat and to prevent malaria. Chloroquine is also used to treat infections caused by amoebae.
Form	Tablet
	Lcd is off
Brand	Chloroquine Phos. 250mg
Therapeutic Group	Anti-malarial
Generic	Chloroquine Phosphate
Indications	Chloroquine is used to treat and to prevent malaria. Chloroquine is also used to treat infections caused by amoebae.
Form	Tablet
Brand	Chlorpheniramine Maleate 4mg
Therapeutic Group	Anti-histamine
Generic	Chlorpheniramine Maleate
Indications	Chlorpheniramine is an antihistamine that reduces the effects of natural chemical histamine in the body. Histamine can produce symptoms of sneezing, itching, watery eyes, and runny nose. Chlorpheniramine is used to treat runny nose, sneezing, itching, and watery eyes caused by allergies, the common cold, or the flu.
Form	Tablet
Brand	Cotri
Therapeutic Group	Anti-biotic
Generic	Co-trimoxazole
Indications	Antibacterial; fixed combination of sulfamethoxazole (intermediate-acting sulfonamide) and trimethoprim; both sulfamethoxazole and trimethoprim are folate-antagonist anti-infectives. Used for treatment of Otitis media, GI Infection, RT Infection, UT infection etc.
Form	Tablet
Brand	Cotri DD
Therapeutic Group	Anti-biotic
Generic	Co-trimoxazole
Indications	Antibacterial; fixed combination of sulfamethoxazole (intermediate-acting sulfonamide) and trimethoprim; both sulfamethoxazole and trimethoprim are folate-antagonist anti-infectives. Used for treatment of Otitis media, GI Infection, RT Infection, UT infection etc.
Form	Tablet
Brand	Chlobrium-5
Therapeutic Group	Benzodiazepine
Generic	Chlordiazepoxide
Indications	Chlordiazepoxide is in a group of drugs called benzodiazepines (. Chlordiazepoxide affects chemical in the brain that may become unbalanced and cause anxiety. Chlordiazepoxide is used to treat anxiety disorders or alcohol withdrawal.

Form	Tablet
Brand	Chlobrium-5
Therapeutic Group	Sedative/Hypnotic
Generic	Chlordiazepoxide
Indications	Chlordiazepoxide is in a group of drugs called benzodiazepines (. Chlordiazepoxide affects chemical in the brain that may become unbalanced and cause anxiety. Chlordiazepoxide is used to treat anxiety disorders or alcohol withdrawal.
Form	Tablet
Brand	Chlorotil-25
Therapeutic Group	Anti-psychotic
Generic	Chlorpromazine HCl
Indications	Chlorpromazine is used to treat psychotic disorders such as schizophrenia or manic-depression, and severe behavioral problems in children. It is also used to treat nausea and vomiting, anxiety before surgery, chronic hiccups, acute intermittent porphyria, and symptoms of tetanus.
Form	Tablet
Brand	Chlorotil-10
Therapeutic Group	Anti-psychotic
Generic	Chlorpromazine HCl
Indications	Chlorpromazine is used to treat psychotic disorders such as schizophrenia or manic-depression, and severe behavioral problems in children. It is also used to treat nausea and vomiting, anxiety before surgery, chronic hiccups, acute intermittent porphyria, and symptoms of tetanus.
Form	Tablet
Brand	Cobla 500mcg
Therapeutic Group	Antianemic agent
Generic	Mecobalamin
Indications	Mecobalamin is primarily indicated in conditions like Congenital cobalamine malabsorption, Congenital intrinsic factor deficiency, Homocystenemia, Methylmalonylacidurias, Peripheral neuropathy, Pernicious anaemia, Post gastrectomy vit B-12 deficiency, Tobacco amblyopia, Transcobalamin II deficiency, Vitamin B12 deficiency.
Form	Tablet
Brand	Diazepam 2mg
Therapeutic Group	Sedative
Generic	Diazepam
Indications	Diazepam is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Diazepam is sometimes used with other medications to treat seizures.
Form	Tablet
Brand	Diazepam 5mg
Therapeutic Group	Sedative
Generic	Diazepam
Indications	Diazepam is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Diazepam is sometimes used with other medications to treat

	seizures.
Form	Tablet
Brand	Dipotil
Therapeutic Group	Anti-diarrhoeal
Generic	Atropine and Diphenoxylate
Indications	Atropine affects the body in many different ways, such as reducing spasms in the bladder, stomach, and intestines. Diphenoxylate is an antidiarrheal medication. The combination of atropine and diphenoxylate is used to treat diarrhea.
Form	Tablet
Brand	Dexamethasone 0.5mg
Therapeutic Group	Corticosteroid
Generic	Dexamethasone
Indications	Dexamethasone is a corticosteroid that prevents the release of substances in the body that cause inflammation. Dexamethasone is used to treat many different inflammatory conditions such as allergic disorders, skin conditions, ulcerative colitis, arthritis, lupus, psoriasis, or breathing disorders.
Form	Tablet
Brand	Dinetac 150mg
Therapeutic Group	Ani-ulcer
Generic	Ranitidine
Indications	Ranitidine is in a group of drugs called histamine-2 blockers. Ranitidine works by reducing the amount of acid your stomach produces. Ranitidine is used to treat and prevent ulcers in the stomach and intestines. It also treats conditions in which the stomach produces too much acid, such as Zollinger-Ellison syndrome. Ranitidine also treats gastroesophageal reflux disease (GERD) and other conditions in which acid backs up from the stomach into the esophagus, causing heartburn.
Form	Tablet
Brand	Diiodohydroxyquinoline 300mg
Therapeutic Group	Antiprotozoal
Generic	Diiodohydroxyquinoline
Indications	Amebiasis, intestinal (treatment)—Iodoquinol is indicated alone as a primary agent in the treatment of intestinal amebiasis in asymptomatic carriers (cyst passers) of <i>Entamoeba histolytica</i> [Amebiasis, extraintestinal (treatment)]—Iodoquinol is used concurrently or sequentially with metronidazole in the treatment of extraintestinal (invasive) amebiasis. [Balantidiasis (treatment)]—Iodoquinol is used as a secondary agent in the treatment of balantidiasis caused by <i>Balantidium coli</i>
Form	Tablet
Brand	Eupyrin
Therapeutic Group	Analgesic
Generic	Codeine and Paracetamol
Indications	For the short term treatment of acute moderate pain which is not relieved by paracetamol, ibuprofen or aspirin alone such as: headache, migraine, period pain,

	dental pain, neuralgia, rheumatic and muscular pain and backache.
Form	Tablet
Brand	Eucor-10
Therapeutic Group	lipid-lowering agent
Generic	Simvastatin
Indications	Simvastatin is used to lower cholesterol and triglycerides (types of fat) in the blood. Simvastatin is also used to lower the risk of stroke, heart attack, and other heart complications in people with diabetes, coronary heart disease, or other risk factors
Form	Tablet
Brand	Eucor-20
Therapeutic Group	lipid-lowering agent
Generic	Simvastatin
Indications	Simvastatin is used to lower cholesterol and triglycerides (types of fat) in the blood. Simvastatin is also used to lower the risk of stroke, heart attack, and other heart complications in people with diabetes, coronary heart disease, or other risk factors
Form	Tablet
Brand	EPHEDRINE HCl 30 mg
Therapeutic Group	Bronchodilator
Generic	Ephedrine
Indications	Ephedrine is used for temporary relief of shortness of breath, chest tightness, and wheezing due to bronchial asthma. Ephedrine may also be used for other conditions as determined by your doctor. Ephedrine is a decongestant and bronchodilator. It works by reducing swelling and constricting blood vessels in the nasal passages and widening the lung airways, allowing you to breathe more easily.
Form	Tablet
Brand	Erythro 250
Therapeutic Group	Anti-biotic
Generic	Erythromycin
Indications	Erythromycin is in a group of drugs called macrolide antibiotics. Macrolide antibiotics slow the growth of, or sometimes kill, sensitive bacteria by reducing the production of important proteins needed by the bacteria to survive. Erythromycin is used to treat many different types of infections caused by bacteria.
Form	Tablet
Brand	Erythro 500
Therapeutic Group	Anti-biotic
Generic	Erythromycin
Indications	Erythromycin is in a group of drugs called macrolide antibiotics. Macrolide antibiotics slow the growth of, or sometimes kill, sensitive bacteria by reducing the production of important proteins needed by the bacteria to survive. Erythromycin is used to treat many different types of infections caused by bacteria.
Form	Tablet
Brand	Eulin 2mg
Therapeutic Group	Anti-asthmatic./Bronchodilator

Generic	Salbutamol
Indications	Salbutamol tablets belong to a group of medicines called selective beta-2-adrenergic agonists, which can be used to relax the muscles of the airways and womb. Salbutamol tablets may be used in: asthma, to relieve the narrowing of the airways chronic bronchitis emphysema the prevention of premature labour.
Form	Tablet
Brand	Eulin 4mg
Therapeutic Group	Anti-asthmatic./Bronchodilator
Generic	Salbutamol
Indications	Salbutamol tablets belong to a group of medicines called selective beta-2-adrenergic agonists, which can be used to relax the muscles of the airways and womb. Salbutamol tablets may be used in: asthma, to relieve the narrowing of the airways chronic bronchitis emphysema the prevention of premature labour.
Form	Tablet
Brand	Euvid 200 mg
Therapeutic Group	Anti-biotic
Generic	Ofloxacin
Indications	Ofloxacin is used to treat bacterial infections that cause bronchitis, pneumonia, chlamydia, gonorrhoea, skin infections, urinary tract infections, and infections of the prostate.
Form	Tablet
Brand	Eudar
Therapeutic Group	Anti-Malarial
Generic	Sulphadoxine and Pyrimethamine
Indications	The combination of pyrimethamine and sulfadoxine is used to treat malaria, a disease caused by parasites. Parasites that cause malaria typically enter the body through the bite of a mosquito. Malaria is common in areas such as Africa, South America, and Southern Asia. Pyrimethamine and sulfadoxine is usually given when other anti-malaria medications may not be as effective in treatment or prevention.
Form	Tablet
Brand	Ourmin 50
Therapeutic Group	Beta-blocker
Generic	Atenolol
Indications	Atenolol is used to treat angina (chest pain) and hypertension (high blood pressure). It is also used to treat or prevent heart attack.
Form	Tablet
Brand	Ourmin 100
Therapeutic Group	Beta-blocker
Generic	Atenolol
Indications	Atenolol is used to treat angina (chest pain) and hypertension (high blood pressure). It is also used to treat or prevent heart attack.
Form	Tablet
Brand	Elopin 5

Therapeutic Group	Calcium Channel Blocker
Generic	Amlodipine
Indications	Amlodipine is used to treat high blood pressure (hypertension) or chest pain (angina) and other conditions caused by coronary artery disease. This medication is for use in adults and children who are at least 6 years old.
Form	Tablet
Brand	Elopin 10
Therapeutic Group	Calcium Channel Blocker
Generic	Amlodipine
Indications	Amlodipine is used to treat high blood pressure (hypertension) or chest pain (angina) and other conditions caused by coronary artery disease. This medication is for use in adults and children who are at least 6 years old.
Form	Tablet
Brand	Eumox
Therapeutic Group	Anti-biotic
Generic	Moxifloxacin
Indications	Moxifloxacin is used to treat certain infections such as pneumonia, bronchitis, and sinus, skin, and abdominal (stomach area) infections caused by bacteria. Moxifloxacin is in a class of antibiotics called fluoroquinolones. It works by killing the bacteria that cause infections.
Form	Tablet
Brand	Furazolidone 100 mg
Therapeutic Group	Anti-biotic
Generic	Furazolidone
Indications	Furazolidone is used to treat bacterial and protozoal infections. It works by killing bacteria and protozoa (tiny, one-celled animals). Some protozoa are parasites that can cause many different kinds of infections in the body. Furazolidone is taken by mouth. It works inside the intestinal tract to treat cholera, colitis, and/or diarrhea caused by bacteria, and giardiasis. furazolidone is sometimes given with other medicines for bacterial infections.
Form	Tablet
Brand	Fenamic 250
Therapeutic Group	Non-Steroidal Anti inflammatory drug
Generic	Mefenamic Acid
Indications	Mefenamic acid is used to relieve mild to moderate pain, including menstrual pain (pain that happens before or during a menstrual period). Mefenamic acid is in a class of medications called NSAIDs. It works by stopping the body's production of a substance that causes pain, fever, and inflammation.
Form	Tablet
Brand	Fenamic 250
Therapeutic Group	Non-Steroidal Anti inflammatory drug
Generic	Mefenamic Acid
Indications	Mefenamic acid is used to relieve mild to moderate pain, including menstrual pain (pain that happens before or during a menstrual period). Mefenamic acid is in a class of medications called NSAIDs. It works by stopping the body's production of

	a substance that causes pain, fever, and inflammation.
Form	Tablet
Brand	Fenamix Forte
Therapeutic Group	Non-Steroidal Anti inflammatory drug
Generic	Mefenamic Acid
Indications	Mefenamic acid is used to relieve mild to moderate pain, including menstrual pain (pain that happens before or during a menstrual period). Mefenamic acid is in a class of medications called NSAIDs. It works by stopping the body's production of a substance that causes pain, fever, and inflammation.
Form	Tablet
Brand	Floxa 250
Therapeutic Group	Anti-antibiotic
Generic	Levofloxacin
Indications	Levofloxacin is used to treat bacterial infections of the skin, sinuses, kidneys, bladder, or prostate. Levofloxacin is also used to treat bacterial infections that cause bronchitis or pneumonia, and to treat people who have been exposed to anthrax or plague.
Form	Tablet
Brand	Floxa 250
Therapeutic Group	Anti-antibiotic
Generic	Levofloxacin
Indications	Levofloxacin is used to treat bacterial infections of the skin, sinuses, kidneys, bladder, or prostate. Levofloxacin is also used to treat bacterial infections that cause bronchitis or pneumonia, and to treat people who have been exposed to anthrax or plague.
Form	Tablet
Brand	Gesic 0.2 mg
Therapeutic Group	Analgesic; opiate partial agonist
Generic	Buprenorphine
Indications	Buprenorphine is used to treat opioid dependence (addiction to opioid drugs, including heroin and narcotic painkillers). Buprenorphine is in a class of medications called opioid partial agonist-antagonists. Buprenorphine prevent withdrawal symptoms when someone stops taking opioid drugs by producing similar effects to these drugs.
Form	Tablet
Brand	HISN + P
Therapeutic Group	Antispasmodic
Generic	Hyoscine and Paracetamol
Indications	Used in the treatment of conditions associated with gastro-intestinal spasm.
Form	Tablet
Brand	IBU-200
Therapeutic Group	Analgesic
Generic	Ibuprofen
Indications	Indicated for its analgesic and anti-inflammatory effect in the treatment of rheumatoid arthritis (including juvenile rheumatoid arthritis or Still's disease),

	ankylosing spondylitis and osteo-arthritis, and acute gouty arthritis. Indicated in the treatment of non-articular rheumatism including fibrositis. Indicated in peri-articular conditions such as frozen shoulder (capsulitis), bursitis, tendinitis, tenosynovitis and low-back pain. also be used in soft-tissue injuries such as sprains and strains. Also indicated for its analgesic effect in the relief of mild to moderate pain such as dysmenorrhoea, dental, post-episiotomy pain and post-partum pain. May also be used as an antipyretic.
Form	Tablet
Brand	IBU-400
Therapeutic Group	Analgesic
Generic	Ibuprofen
Indications	Indicated for its analgesic and anti-inflammatory effect in the treatment of rheumatoid arthritis (including juvenile rheumatoid arthritis or Still's disease), ankylosing spondylitis and osteo-arthritis, and acute gouty arthritis. Indicated in the treatment of non-articular rheumatism including fibrositis. Indicated in peri-articular conditions such as frozen shoulder (capsulitis), bursitis, tendinitis, tenosynovitis and low-back pain. also be used in soft-tissue injuries such as sprains and strains. Also indicated for its analgesic effect in the relief of mild to moderate pain such as dysmenorrhoea, dental, post-episiotomy pain and post-partum pain. May also be used as an antipyretic.
Form	Tablet
Brand	Idogil
Therapeutic Group	Anti-amoebic
Generic	Di-iodohydroxyquinoline and Metronidazole
Indications	Primarily indicated in conditions like Amoebiasis, Amoebic liver abscess, Giardiasis.
Form	Tablet
Brand	Metrozole
Therapeutic Group	Anti-protozoal/Anti-bacterial
Generic	Furazolidone and Metronidazole
Indications	Amoebiasis, Bacillary dysentery, Giardiasis & food poisoning.
Form	Tablet
Brand	Metrogyl 200
Therapeutic Group	Anti-protozoal/Anti-bacterial
Generic	Metronidazole
Indications	Metronidazole is used to treat parasitic infections including Giardia infections of the small intestine, amebic liver abscess, and amebic dysentery (infection of the colon causing bloody diarrhea), bacterial vaginosis, trichomonas vaginal infections, and carriers of trichomonas (both sexual partners) who do not have symptoms of infection.
Form	Tablet
Brand	Metrogyl 400
Therapeutic Group	Anti-protozoal/Anti-bacterial
Generic	Metronidazole
Indications	Metronidazole is used to treat parasitic infections including Giardia infections of the small intestine, amebic liver abscess, and amebic dysentery (infection of the colon causing bloody diarrhea), bacterial vaginosis, trichomonas vaginal infections,

	and carriers of trichomonas (both sexual partners) who do not have symptoms of infection.
Form	Tablet
Brand	Methazex 10
Therapeutic Group	anti-histamine, sedative, and antiemetic
Generic	Promethazine HCl
Indications	Promethazine is prescribed for treating nausea or vomiting, motion sickness, and allergic reactions and for sedation prior to or after surgery.
Form	Tablets
Brand	Methazex 25
Therapeutic Group	anti-histamine, sedative, and antiemetic
Generic	Promethazine HCl
Indications	Promethazine is prescribed for treating nausea or vomiting, motion sickness, and allergic reactions and for sedation prior to or after surgery.
Form	Tablets
Brand	Mentin 375
Therapeutic Group	Antibiotic
Generic	Co-amoxiclav
Indications	Augmentin is effective against susceptible bacteria causing infections of the middle ear (otitis media), tonsillitis, throat infections (pharyngitis), laryngitis, bronchitis, sinusitis, and pneumonia. It is also used in treating urinary tract infections, and skin infections.
Form	Tablets
Brand	Mentin 625
Therapeutic Group	Antibiotic
Generic	Co-amoxiclav
Indications	Augmentin is effective against susceptible bacteria causing infections of the middle ear (otitis media), tonsillitis, throat infections (pharyngitis), laryngitis, bronchitis, sinusitis, and pneumonia. It is also used in treating urinary tract infections, and skin infections.
Form	Tablets
Brand	Nimcid
Therapeutic Group	Analgesic/Antipyretic
Generic	Nimesulide
Indications	This medication is a non-steroidal anti-inflammatory drug, prescribed for painful inflammatory conditions, back pain, dysmenorrhea, postoperative pain, osteoarthritis, and fever.
Form	Tablet
Brand	Oxylin-250
Therapeutic Group	Antibiotic
Generic	Oxytetracycline

Indications	Used to treat a wide range of infections caused by bacteria. These include: <ul style="list-style-type: none"> • lung infections such as pneumonia, bronchitis or whooping cough • urinary tract infections • sexually transmitted diseases such as chlamydia, gonorrhoea or syphilis • skin infections such as acne • infections of the eye such as conjunctivitis • rickettsial infections such as Q fever or tick fever (severe headache, rash, high fever) • other infections including brucellosis (headache, sickness, fever, swollen lymph nodes), psittacosis (headache, nose bleeds, shivering, fever), plague (painful swelling of the lymph nodes), cholera (severe sickness and diarrhoea) • leptospirosis (fever causing jaundice or meningitis), gas-gangrene and tetanus (lock jaw)
Form	Tablet
Brand	Pamotrine
Therapeutic Group	Anthelmintic
Generic	Pyrantel Pamoate (250mg)
Indications	Treating certain worm infections (eg, pinworm, roundworm). Pyrantel pamoate is an anthelmintic agent. It works by paralyzing the nervous system of intestinal parasites (worms). The parasite is then passed in the stool.
Form	Tablet
Brand	Pevid
Therapeutic Group	Antibiotic
Generic	Pefloxacin as mesylate dihydrate
Indications	Antibiosis adaptation disease, infection caused by sensitive bacteria, respiratory tract infection, ear-nose-throat infection, reproductive system infection and etc.
Form	Tablet
Brand	Prednisolone 5 mg
Therapeutic Group	Glucocorticoid
Generic	Prednisolone
Indications	Used in inflammatory and allergic disorders.
Form	Tablet
Brand	Paracetamol 500mg
Therapeutic Group	Analgesic/Antipyretic
Generic	Paracetamol
Indications	ease mild to moderate pain – for example, headaches, sprains, toothache or the symptoms of a cold control a fever (high temperature, also known as pyrexia) – for example, when someone has the flu (influenza)
Form	Tablet
Brand	Para + Plus
Therapeutic Group	Analgesic/Antipyretic
Generic	Paracetamol and Caffeine

Indications	This medicine helps relieve mild to moderate pain such as headache, migraine, backache, toothache, period pain, rheumatic pain; and aches, pain and fever associated with sore throats, colds and flu
Form	Tablet
Brand	Phenotil
Therapeutic Group	Phenothiazine
Generic	Prochlorperazine Maleate 5mg
Indications	This medication is used to treat severe nausea and vomiting from certain causes (for example, after surgery or cancer treatment).
Form	Tablet
Brand	Phenobarbitone
Therapeutic Group	Anxiolytic, Sedative, Hypnotic
Generic	Phenobarbitone
Indications	This medication is prescribed for seizures, and treating sleep disorders.
Form	Tablet
Brand	Potran
Therapeutic Group	Anti-rheumatic
Generic	Diclofenac Potassium 50mg
Indications	Used to treat mild to moderate pain and to treat the signs and symptoms of rheumatoid arthritis and osteoarthritis. Cataflam is also used to treat cramping pain in the lower abdomen associated with menstruation.
Form	Tablet
Brand	Semidine 200
Therapeutic Group	H2 receptor antagonists
Generic	Cimetidine
Indications	Cimetidine is used to treat and prevent certain types of ulcer, and to treat conditions that cause the stomach to produce too much acid. Cimetidine is also used to treat gastroesophageal reflux disease (GERD), when stomach acid backs up into the esophagus and causes heartburn.
Form	Tablet
Brand	Semidine 400
Therapeutic Group	H2 receptor antagonists
Generic	Cimetidine
Indications	Cimetidine is used to treat and prevent certain types of ulcer, and to treat conditions that cause the stomach to produce too much acid. Cimetidine is also used to treat gastroesophageal reflux disease (GERD), when stomach acid backs up into the esophagus and causes heartburn.
Form	Tablet
Brand	Siroxin 250
Therapeutic Group	Antibiotic
Generic	Ciprofloxacin
Indications	Ciprofloxacin is used to treat different types of bacterial infections. It may also be used to prevent or slow anthrax after exposure.
Form	Tablet

Brand	Siroxin 500
Therapeutic Group	Antibiotic
Generic	Ciprofloxacin
Indications	Ciprofloxacin is used to treat different types of bacterial infections. It may also be used to prevent or slow anthrax after exposure.
Form	Tablet
Brand	Sulphadimidine 500
Therapeutic Group	Antibiotic
Generic	Sulphadimidine
Indications	Primarily indicated in conditions like Meningitis, Urinary tract infection.
Form	Tablet
Brand	Sulphadiazine 500mg
Therapeutic Group	Antibiotic
Generic	Sulphadiazine
Indications	Sulphadiazine is primarily indicated in conditions like Chancroid, GI infections, Malaria, Nocardiosis, Pneumonia, Prevention of rheumatic fever recurrence, Respiratory tract infections, Superficial infections, Toxoplasmosis, Urinary tract infection, and can also be given in adjunctive therapy as an alternative drug of choice in Rheumatic fever.
Form	Tablet
Brand	Tryprol
Therapeutic Group	Poteolytic enzyme
Generic	Chymotrypsin:50000IU, Trypsin :50000IU
Indications	Inflammation, Trauma, Edema,
Form	Tablet
Brand	Tripolidine Compound
Therapeutic Group	Antihistamine
Generic	Tripolidine
Indications	Tripolidine is primarily indicated in conditions like Allergic conjunctivitis, Allergic rhinitis, Angioedema, Angioedema, Common cold, Fever, Urticaria.
Form	Tablet
Brand	Talidon
Therapeutic Group	analgesic and antipyretic
Generic	Caffeine,25 mg Propyphenazone,175 mg
Indications	Dysmenorrhoea, Pain, Rheumatoid arthritis, Juvenile chronic arthritis, Osteoarthritis, Ankylosing spondylitis, Fever, Acute arthritis, Toothache, Musculoskeletal pain,.
Form	Tablet
Brand	Unetox-T
Therapeutic Group	Antidiarrheal
Generic	Attapulgate 500mg
Indications	Diarrhoea
Form	Tablet

Brand	Unexin-250
Therapeutic Group	Non steroidal anti-inflammatory/Analgesic/Antipyretic
Generic	Naproxen Sodium
Indications	Naproxen is primarily indicated in conditions like Acute gout, Acute spasm and spasm in diagnostic procedures, Differential diagnosis of acth-dependent cushing`s syndrome, Dysmenorrhoea, Fever, Glaucoma, Migraine, Musculoskeletal disorders, Ocular hypertension, Pain, Rheumatoid arthritis, Trauma.
Form	Tablet
Brand	Unexin-500
Therapeutic Group	Non steroidal anti-inflammatory/Analgesic/Antipyretic
Generic	Naproxen Sodium
Indications	Naproxen is primarily indicated in conditions like Acute gout, Acute spasm and spasm in diagnostic procedures, Differential diagnosis of acth-dependent cushing`s syndrome, Dysmenorrhoea, Fever, Glaucoma, Migraine, Musculoskeletal disorders, Ocular hypertension, Pain, Rheumatoid arthritis, Trauma.
Form	Tablet
Brand	Unexolone
Therapeutic Group	Anti-emetic
Generic	Metoclopramide
Indications	Metoclopramide is primarily indicated in conditions like Delayed gastric emptying, Diagnostic procedures, Flatulence, Gastritis, GI motility disorder, Heart burn, Hiccup in palliative care, Migraine, Nausea and vomiting, Nausea and vomiting (chemotherapy induced), Reflux oesophagitis, Tardive dyskinesias, and can also be given in adjunctive therapy as an alternative drug of choice in Defective lactation, Hiccup due to gastric distension in palliative care, Postural hypotension, Psychosis.
Form	Tablets
Brand	Uwill
Therapeutic Group	Anti-histamine
Generic	Pheniramine Maleate
Indications	Pheniramine (Maleate) is primarily indicated in conditions like Allergy, Angioedema, Angiooedema, Asthma, Conjunctivitis, Dermatitis, Eczema, Hay fever, Perennial rhinitis, Rhinitis, Urticaria, Vasomotor rhinitis, Vertigo.
Form	Tablet
Brand	Unesoquine
Therapeutic Group	Anti-malarial
Generic	Amodiaquine
Indications	Malaria
Form	Tablet
Brand	Unesid
Therapeutic Group	non-steroidal anti-inflammatory drug
Generic	Flurbiprofen
Indications	Flurbiprofen is primarily indicated in conditions like Adjunct in GI-disorders, Ankylosing spondylitis, Dysmenorrhoea, Gout, Juvenile chronic arthritis, Mild to moderate pain, Musculoskeletal disorders, Nausea and vomiting (palliative care), Non-steroidal anti-inflammatory drugs (NSAID), Osteoarthritis, Pain, Post

	operative analgesia, Rheumatoid arthritis
Form	Tablet
Brand	U-Tran 50
Therapeutic Group	non-steroidal anti-inflammatory drug
Generic	Diclofenac Sodium
Indications	Diclofenac (Na) is primarily indicated in conditions like Acute exacerbation of pain and post operative pain, Acute gout, Ankylosing spondylitis, Bursitis, Gastro-oesophageal reflux disease, Juvenile chronic arthritis, Low back pain, Musculoskeletal disorders, Osteoarthritis, Periarthritis, , Post-operative pain, Prevention of postoperative pain, Rheumatoid arthritis, Sprains, Strains, Tendinitis, Tenosynovitis, Ureteric colic.
Form	Tablet
Brand	Utanyl
Therapeutic Group	Anti-anxiety, Hypnotic
Generic	Bromazepam
Indications	Bromazepam is primarily indicated in conditions like Acute tension, Agitation, Anxiety, Hypertension, Hyperventilation, Insomnia,
Form	Tablet
Brand	Ulam 0.25
Therapeutic Group	Anti-anxiety, hypnotic
Generic	Alprazolam
Indications	Alprazolam is primarily indicated in conditions like Anxiety, Panic disorders, Premenstrual syndrome, and can also be given in adjunctive therapy as an alternative drug of choice in Depression.
Form	Tablet
Brand	Ulam 0.5
Therapeutic Group	Anti-anxiety, hypnotic
Generic	Alprazolam
Indications	Alprazolam is primarily indicated in conditions like Anxiety, Panic disorders, Premenstrual syndrome, and can also be given in adjunctive therapy as an alternative drug of choice in Depression.
Form	Tablet
Brand	Zologil
Therapeutic Group	Anti-amoebic ; Anti-protozoal
Generic	Metronidazole 200mg Diloxanide 250 mg
Indications	Dysentery
Form	Tablet
Brand	Zologil DS
Therapeutic Group	Anti-amoebic ; Anti-protozoal
Generic	Metronidazole 400 mg ; Diloxanide 500 mg
Indications	Dysentery
Form	Tablet
Brand	ATD +1

Therapeutic Group	Anti-tuberculosis
Generic	Ethambutol HCl 400mg ; Isoniazid 150 mg
Indications	Tuberculosis
Form	Tablet
Brand	ATD + 2
Therapeutic Group	Ant-tuberculosis
Generic	Rifampicin 150mg; Isoniazid 75mg; Pyrazinamide 400mg
Indications	Tuberculosis
Form	Tablet
Brand	ATD + 3
Therapeutic Group	Ant-tuberculosis
Generic	Rifampicin 150mg; Isoniazid 150mg; Pyrazinamide 500mg
Indications	Tuberculosis
Form	Tablet
Brand	ATD + 4
Therapeutic Group	Ant-tuberculosis
Generic	Rifampicin 150mg; Isoniazid 75mg; Pyrazinamide 400mg;Ethambutol HCl 275mg
Indications	Tuberculosis
Form	Tablet
Brand	Isoniazid
Therapeutic Group	Ant-tuberculosis
Generic	Isoniazid 100 mg
Indications	Tuberculosis
Form	Tablet
Brand	Piramide
Therapeutic Group	Anti-tuberculosis
Generic	Pyrazinamide 400mg
Indications	Tuberculosis
Form	Tablet
Brand	Unerif-300
Therapeutic Group	Anti-tuberculosis
Generic	Rifampicin 300 mg
Indications	Tuberculosis
Form	Tablet
Brand	Unerif-150
Therapeutic Group	Anti-tuberculosis
Generic	Rifampicin 150 mg
Indications	Tuberculosis
Form	Tablet
Brand	U-Butol
Therapeutic Group	Anti-tuberculosis

Generic	Ethambutol HCl 400mg
Indications	Tuberculosis
Form	Tablet
Brand	U-Butol + INH
Therapeutic Group	Anti-tuberculosis
Generic	Ethambutol HCl 300mg INH 100 mg
Indications	Tuberculosis
Form	Tablet
Brand	U-Butol + 2
Therapeutic Group	Anti-tuberculosis
Generic	Ethambutol HCl 275mg INH 75 mg Rifampicin 150 mg
Indications	Tuberculosis
Form	Tablet
Brand	Axalyn-250
Therapeutic Group	Antibiotic
Generic	Amoxicillin
Indications	To treat infections caused by bacteria that are susceptible to amoxicillin. These include: bronchitis, pneumonia, middle ear, gynaecological, urinary tract, skin (e.g. cellulitis), meningitis, typhoid, dental abscess, blood poisoning, heart inflammation.
Form	Capsules
Brand	Axalyn-500
Therapeutic Group	Antibiotic
Generic	Amoxicillin
Indications	To treat infections caused by bacteria that are susceptible to amoxicillin. These include: bronchitis, pneumonia, middle ear, gynaecological, urinary tract, skin (e.g. cellulitis), meningitis, typhoid, dental abscess, blood poisoning, heart inflammation.
Form	Capsules
Brand	Aixyme
Therapeutic Group	Antibiotic
Generic	Cefixime 400mg
Indications	Cefixime is a cephalosporin antibacterial drug indicated for Uncomplicated Urinary Tract Infections Otitis Media Pharyngitis and Tonsillitis Acute Exacerbations of Chronic Bronchitis Uncomplicated Gonorrhea (cervical/urethral)
Form	Capsules
Brand	Bibracin
Therapeutic Group	Antibiotic
Generic	Doxycycline 100 mg
Indications	Doxycycline is used to treat many different bacterial infections, such as urinary tract infections, acne, gonorrhea, and chlamydia, periodontitis (gum disease), and others
Form	Capsules

Brand	Cloxcin 250
Therapeutic Group	Antibiotic
Generic	Ampicillin and cloxacillin
Indications	Infections caused by susceptible organisms where a mixed infection is present and includes penicillin-resistant staphylococci.
Form	Capsules
Brand	Cloxcin 500
Therapeutic Group	Antibiotic
Generic	Ampicillin and cloxacillin
Indications	Infections caused by susceptible organisms where a mixed infection is present and includes penicillin-resistant staphylococci.
Form	Capsules
Brand	Empicil 500
Therapeutic Group	Antibiotic
Generic	Ampicillin
Indications	Ampicillin Capsules are indicated in the treatment of infections as listed below: INFECTIONS OF THE GENITOURINARY TRACT GONORRHEA INFECTIONS OF THE RESPIRATORY TRACT INFECTIONS OF THE GASTROINTESTINAL TRACT
Form	Capsules
Brand	Empicil 250
Therapeutic Group	Antibiotic
Generic	Ampicillin
Indications	Ampicillin Capsules are indicated in the treatment of infections as listed below: INFECTIONS OF THE GENITOURINARY TRACT GONORRHEA INFECTIONS OF THE RESPIRATORY TRACT INFECTIONS OF THE GASTROINTESTINAL TRACT
Form	Capsules
Brand	ES-Umrazole-20
Therapeutic Group	Proton Pump Inhibitor
Generic	Esomepazole
Indications	Indicated for the short-term treatment (4 to 8 weeks) in the healing and symptomatic resolution of diagnostically confirmed erosive esophagitis. For those patients who have not healed after 4 to 8 weeks of treatment, an additional 4 to 8 week course may be considered.
Form	Capsule
Brand	ES-Umrazole-40
Therapeutic Group	Proton Pump Inhibitor
Generic	Esomepazole
Indications	Indicated for the short-term treatment (4 to 8 weeks) in the healing and symptomatic resolution of diagnostically confirmed erosive esophagitis. For those patients who have not healed after 4 to 8 weeks of treatment, an additional 4 to 8 week course may be considered.
Form	Capsule
Brand	Ezeero 250

Therapeutic Group	Antibiotic
Generic	Azithromycin
Indications	Used to treat a wide variety of bacterial infections, such as respiratory tract infections, sexually transmitted diseases and skin infections. This antibiotic only treats bacterial infections.
Form	Capsules
Brand	Fenicol 250
Therapeutic Group	Antibiotic
Generic	Chloramphenicol
Indications	Typhoid fever and other types of systemic salmonella infections. Bacterial meningitis due to Haemophilus influenzae. Anaerobic infections originating from foci in the bowel or pelvis.
Form	Capsule
Brand	Fylin-ER
Therapeutic Group	Antiasthmatic
Generic	Theophylline
Indications	This medication improves breathing by opening air passages in the lungs. It is used in the treatment of asthma, chronic bronchitis, and emphysema.
Form	Capsule
Brand	Methacid
Therapeutic Group	Non steroidal anti inflammatory
Generic	Indomethacin 25mg
Indications	Indomethacin is used to relieve pain, swelling, and joint stiffness caused by arthritis, gout, bursitis, and tendonitis.
Form	Capsule
Brand	Nicocin 500
Therapeutic Group	Antibiotic
Generic	Lincomycin HCl
Indications	Lincomycin is an antibiotic used to treat a wide variety of bacterial infections.
Form	Capsule
Brand	Oxylin 250
Therapeutic Group	Antibiotic
Generic	Oxytetracycline
Indications	Indicated for treatment of infections caused by gram negative and gram negative bacteria.
Form	Capsule
Brand	Phelodene 20
Therapeutic Group	Non Steroidal Anti Inflammatory dug
Generic	Piroxicam
Indications	Used to relieve some symptoms caused by osteoarthritis (arthrosis, degenerative joint disease), rheumatoid arthritis and ankylosing spondylitis (rheumatism of the spine), such as swelling, stiffness and joint pain.
Form	Capsule

Brand	Umrazol 20
Therapeutic Group	Proton pump inhibitor
Generic	Omeprazole
Indications	It is used to treat acid-related stomach and throat (esophagus) problems (e.g., acid reflux or GERD, ulcers, erosive esophagitis, or Zollinger-Ellison Syndrome). Decreasing excess stomach acid can help relieve symptoms such as heartburn, difficulty swallowing, persistent cough, and trouble sleeping. It can also prevent serious acid damage to your digestive system (e.g., ulcers, cancer of the esophagus). This medication may be used in combination with antibiotics to treat certain types of ulcers caused by bacterial infection.
Form	Capsule
Brand	Umrazol 40
Therapeutic Group	Proton pump inhibitor
Generic	Omeprazole
Indications	It is used to treat acid-related stomach and throat (esophagus) problems (e.g., acid reflux or GERD, ulcers, erosive esophagitis, or Zollinger-Ellison Syndrome). Decreasing excess stomach acid can help relieve symptoms such as heartburn, difficulty swallowing, persistent cough, and trouble sleeping. It can also prevent serious acid damage to your digestive system (e.g., ulcers, cancer of the esophagus). This medication may be used in combination with antibiotics to treat certain types of ulcers caused by bacterial infection.
Form	Capsule
Brand	Unesef-250
Therapeutic Group	Antibiotic
Generic	Cefradine
Indications	Used in the treatment of bacterial infections of the respiratory and urinary tracts and of the skin and soft tissues.
Form	Capsule
Brand	Unesef-500
Therapeutic Group	Antibiotic
Generic	Cefradine
Indications	Used in the treatment of bacterial infections of the respiratory and urinary tracts and of the skin and soft tissues.
Form	Capsule